ELSEVIER

Brain Research 921 (2001) 264–265

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Abe, K., see Hosoi, R. (921) 260
Ackerman, T.F., see Echo, J.A. (921) 86
Almeida, A., see Gamboa-Esteves, F.O. (921) 195
Anderson, J.W., Smith, P.M. and Ferguson, A.V.
Subfornical organ neurons projecting to paraventricular nucleus: whole-cell properties (921) 78
Arnold, J.C., Topple, A.N., Mallet, P.E., Hunt, G.E. and McGregor, I.S.
The distribution of cannabinoid-induced Fos expression in rat brain: differences between the Lewis and Wistar strain (921) 240

Barbosa, J., see Gomez, R.S. (921) 106
Barry, M.A., Haglund, S. and Savoy, L.D.
Association of extracellular acetylcholinesterase with gustatory nerve terminal fibers in the nucleus of the solitary tract (921) 12
Batten, T.F.C., see Gamboa-Esteves, F.O. (921) 195
Birinyi, A., Straka, H., Matesz, C. and Dieringer, N.
Location of dye-coupled second order and of efferent vestibular neurons labeled from individual semicircular canal or otolith organs in the frog (921) 44
Blaustein, J.D., see Quysner, A. (921) 173
Bodnar, R.J., see Echo, J.A. (921) 86
Brauth, S.E., see Roberts, T.F. (921) 138
Brewer, G.J., see Cady, C. (921) 1
Brézillon, S., Detheux, M., Parmentier, M., Hökfelt, T. and Hurd, Y.L.
Distribution of an orphan G-protein coupled receptor (JP05) mRNA in the human brain (921) 21

Cady, C., Evans, M.S. and Brewer, G.J.
Age-related differences in NMDA responses in cultured rat hippocampal neurons (921) 1
Cauller, L.J., see Mitchell, B.D. (921) 68
Choi, S.-S., Lee, J.-K. and Suh, H.-W.
Antinociceptive profiles of aspirin and acetaminophen in formalin, substance P and glutamate pain models (921) 233
Christian, G., see Echo, J.A. (921) 86

Dahlström, A., see Wang, Z. (921) 165
Danscher, G., see Wang, Z. (921) 165
Detheux, M., see Brézillon, S. (921) 21
Dieringer, N., see Birinyi, A. (921) 44
Dillon, G.H., see Huang, R.-Q. (921) 183
Dluzen, D.E., see Kalinski, M.I. (921) 160
Dong, Y.-X., see Wang, D. (921) 133
Duva, M.A., Tomkins, E.M., Moranda, L.M., Kaplan, R., Sukhaseum, A., Jimenez, A. and Stanley, B.G.
Reverse microdialysis of *N*-methyl-D-aspartic acid into the lateral hypothalamus of rats: effects on feeding and other behaviors (921) 122

Echo, J.A., Lamonte, N., Christian, G., Znamensky, V., Ackerman, T.F. and Bodnar, R.J.
Excitatory amino acid receptor subtype agonists induce feeding in the nucleus accumbens shell in rats: opioid antagonist actions and interactions with μ-opioid agonists (921) 86
Evans, M.S., see Cady, C. (921) 1

Ferguson, A.V., see Anderson, J.W. (921) 78

Gamboa-Esteves, F.O., Tavares, I., Almeida, A., Batten, T.F.C., McWilliam, P.N. and Lima, D.
Projection sites of superficial and deep spinal dorsal horn cells in the nucleus tractus solitarii of the rat (921) 195
Gomez, M.V., see Gomez, R.S. (921) 106
Gomez, R.S., Guatimosim, C., Barbosa, J., Massensini, A.R., Gomez, M.V. and Prado, M.A.M.
Halothane-induced intracellular calcium release in cholinergic cells (921) 106
Guatimosim, C., see Gomez, R.S. (921) 106
Gutierrez-Ford, C., see Liang, J. (921) 211

Haglund, S., see Barry, M.A. (921) 12
Hall, W.S., see Roberts, T.F. (921) 138
He, Y., Hof, P.R., Janssen, W.G.M., Vissavajjhala, P. and Morrison, J.H.
AMPA GluR2 subunit is differentially distributed on GABAergic neurons and pyramidal cells in the macaque monkey visual cortex (921) 60
Hof, P.R., see He, Y. (921) 60
Hökfelt, T., see Brézillon, S. (921) 21
Hosoi, R., Momosaki, S., Ibii, N., Abe, K., Itoh, T. and Inoue, O.
The role of the cAMP-PKA system in the short-term regulation of striatal [^{14}C]-2-deoxyglucose uptake in freely moving rats (921) 260
Huang, R.-Q. and Dillon, G.H.
Functional analysis of $GABA_A$ receptors in nucleus tractus solitarius neurons from neonatal rats (921) 183
Hunt, G.E., see Arnold, J.C. (921) 240
Hurd, Y.L., see Brézillon, S. (921) 21

Ibii, N., see Hosoi, R. (921) 260
Inoue, O., see Hosoi, R. (921) 260
Inoue, T., see Shimozono, S. (921) 98
Itoh, T., see Hosoi, R. (921) 260
Izumo, S., see Setoguchi, T. (921) 219

Janssen, W.G.M., see He, Y. (921) 60
Jimenez, A., see Duva, M.A. (921) 122
Johnson, G.V.W., see Mookherjee, P. (921) 31

Kalinski, M.I., Dluzen, D.E. and Stadulis, R.
Methamphetamine produces subsequent reductions in running time to exhaustion in mice (921) 160
Kaplan, R., see Duva, M.A. (921) 122
Kato, F., see Masaki, E. (921) 226
Kawamura, M., see Masaki, E. (921) 226
Kirino, Y., see Shimozono, S. (921) 98
Kofler, M., Müller, J., Reggiani, L. and Valls-Solé, J.
Influence of gender on auditory startle responses (921) 206
Komiya, S., see Setoguchi, T. (921) 219

Lamonte, N., see Echo, J.A. (921) 86
Lee, J.-K., see Choi, S.-S. (921) 233
Li, J.-Y., see Wang, Z. (921) 165
Li, Y.-Q., see Wang, D. (921) 133
Liang, J., Gutierrez-Ford, C. and Potter, L.T.
Sustained unilateral blockade of rat striatal M_1 muscarinic receptors with m1-toxin1 in vivo (921) 211

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(01)03239-5

ELSEVIER

Brain Research 921 (2001) 264–265

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Abe, K., see Hosoi, R. (921) 260
Ackerman, T.F., see Echo, J.A. (921) 86
Almeida, A., see Gamboa-Esteves, F.O. (921) 195
Anderson, J.W., Smith, P.M. and Ferguson, A.V.
Subfornical organ neurons projecting to paraventricular nucleus: whole-cell properties (921) 78
Arnold, J.C., Topple, A.N., Mallet, P.E., Hunt, G.E. and McGregor, I.S.
The distribution of cannabinoid-induced Fos expression in rat brain: differences between the Lewis and Wistar strain (921) 240

Barbosa, J., see Gomez, R.S. (921) 106
Barry, M.A., Haglund, S. and Savoy, L.D.
Association of extracellular acetylcholinesterase with gustatory nerve terminal fibers in the nucleus of the solitary tract (921) 12
Batten, T.F.C., see Gamboa-Esteves, F.O. (921) 195
Birinyi, A., Straka, H., Matesz, C. and Dieringer, N.
Location of dye-coupled second order and of efferent vestibular neurons labeled from individual semicircular canal or otolith organs in the frog (921) 44
Blaustein, J.D., see Quysner, A. (921) 173
Bodnar, R.J., see Echo, J.A. (921) 86
Brauth, S.E., see Roberts, T.F. (921) 138
Brewer, G.J., see Cady, C. (921) 1
Brézillon, S., Detheux, M., Parmentier, M., Hökfelt, T. and Hurd, Y.L.
Distribution of an orphan G-protein coupled receptor (JP05) mRNA in the human brain (921) 21

Cady, C., Evans, M.S. and Brewer, G.J.
Age-related differences in NMDA responses in cultured rat hippocampal neurons (921) 1
Cauller, L.J., see Mitchell, B.D. (921) 68
Choi, S.-S., Lee, J.-K. and Suh, H.-W.
Antinociceptive profiles of aspirin and acetaminophen in formalin, substance P and glutamate pain models (921) 233
Christian, G., see Echo, J.A. (921) 86

Dahlström, A., see Wang, Z. (921) 165
Danscher, G., see Wang, Z. (921) 165
Detheux, M., see Brézillon, S. (921) 21
Dieringer, N., see Birinyi, A. (921) 44
Dillon, G.H., see Huang, R.-Q. (921) 183
Dluzen, D.E., see Kalinski, M.I. (921) 160
Dong, Y.-X., see Wang, D. (921) 133
Duva, M.A., Tomkins, E.M., Moranda, L.M., Kaplan, R., Sukhaseum, A., Jimenez, A. and Stanley, B.G.
Reverse microdialysis of *N*-methyl-D-aspartic acid into the lateral hypothalamus of rats: effects on feeding and other behaviors (921) 122

Echo, J.A., Lamonte, N., Christian, G., Znamensky, V., Ackerman, T.F. and Bodnar, R.J.
Excitatory amino acid receptor subtype agonists induce feeding in the nucleus accumbens shell in rats: opioid antagonist actions and interactions with μ-opioid agonists (921) 86
Evans, M.S., see Cady, C. (921) 1

Ferguson, A.V., see Anderson, J.W. (921) 78

Gamboa-Esteves, F.O., Tavares, I., Almeida, A., Batten, T.F.C., McWilliam, P.N. and Lima, D.
Projection sites of superficial and deep spinal dorsal horn cells in the nucleus tractus solitarii of the rat (921) 195
Gomez, M.V., see Gomez, R.S. (921) 106
Gomez, R.S., Guatimosim, C., Barbosa, J., Massensini, A.R., Gomez, M.V. and Prado, M.A.M.
Halothane-induced intracellular calcium release in cholinergic cells (921) 106
Guatimosim, C., see Gomez, R.S. (921) 106
Gutierrez-Ford, C., see Liang, J. (921) 211

Haglund, S., see Barry, M.A. (921) 12
Hall, W.S., see Roberts, T.F. (921) 138
He, Y., Hof, P.R., Janssen, W.G.M., Vissavajjhala, P. and Morrison, J.H.
AMPA GluR2 subunit is differentially distributed on GABAergic neurons and pyramidal cells in the macaque monkey visual cortex (921) 60
Hof, P.R., see He, Y. (921) 60
Hökfelt, T., see Brézillon, S. (921) 21
Hosoi, R., Momosaki, S., Ibii, N., Abe, K., Itoh, T. and Inoue, O.
The role of the cAMP-PKA system in the short-term regulation of striatal [^{14}C]-2-deoxyglucose uptake in freely moving rats (921) 260
Huang, R.-Q. and Dillon, G.H.
Functional analysis of $GABA_A$ receptors in nucleus tractus solitarius neurons from neonatal rats (921) 183
Hunt, G.E., see Arnold, J.C. (921) 240
Hurd, Y.L., see Brézillon, S. (921) 21

Ibii, N., see Hosoi, R. (921) 260
Inoue, O., see Hosoi, R. (921) 260
Inoue, T., see Shimozono, S. (921) 98
Itoh, T., see Hosoi, R. (921) 260
Izumo, S., see Setoguchi, T. (921) 219

Janssen, W.G.M., see He, Y. (921) 60
Jimenez, A., see Duva, M.A. (921) 122
Johnson, G.V.W., see Mookherjee, P. (921) 31

Kalinski, M.I., Dluzen, D.E. and Stadulis, R.
Methamphetamine produces subsequent reductions in running time to exhaustion in mice (921) 160
Kaplan, R., see Duva, M.A. (921) 122
Kato, F., see Masaki, E. (921) 226
Kawamura, M., see Masaki, E. (921) 226
Kirino, Y., see Shimozono, S. (921) 98
Kofler, M., Müller, J., Reggiani, L. and Valls-Solé, J.
Influence of gender on auditory startle responses (921) 206
Komiya, S., see Setoguchi, T. (921) 219

Lamonte, N., see Echo, J.A. (921) 86
Lee, J.-K., see Choi, S.-S. (921) 233
Li, J.-Y., see Wang, Z. (921) 165
Li, Y.-Q., see Wang, D. (921) 133
Liang, J., Gutierrez-Ford, C. and Potter, L.T.
Sustained unilateral blockade of rat striatal M_1 muscarinic receptors with m1-toxin1 in vivo (921) 211

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(01)03239-5

Lima, D., see Gamboa-Esteves, F.O. (921) 195
Loranca, A. and Salas, M.
Social play development in pre-weaning olfactory deprived or stimulated rats (921) 150

Mallet, P.E., see Arnold, J.C. (921) 240
Masaki, E., Kawamura, M. and Kato, F.
Reduction by sevoflurane of adenosine 5′-triphosphate-activated inward current of locus coeruleus neurons in pontine slices of rats (921) 226
Massensini, A.R., see Gomez, R.S. (921) 106
Matesz, C., see Birinyi, A. (921) 44
Matsuoka, E., see Setoguchi, T. (921) 219
McGregor, I.S., see Arnold, J.C. (921) 240
McWilliam, P.N., see Gamboa-Esteves, F.O. (921) 195
Mitchell, B.D. and Cauller, L.J.
Corticocortical and thalamocortical projections to layer I of the frontal neocortex in rats (921) 68
Momosaki, S., see Hosoi, R. (921) 260
Mookherjee, P. and Johnson, G.V.W.
Tau phosphorylation during apoptosis of human SH-SY5Y neuroblastoma cells (921) 31
Moranda, L.M., see Duva, M.A. (921) 122
Morgan, W.W. and Nelson, J.F.
Chronic administration of pharmacological levels of melatonin does not ameliorate the MPTP-induced degeneration of the nigrostriatal pathway (921) 115
Morrison, J.H., see He, Y. (921) 60
Müller, J., see Kofler, M. (921) 206

Nakashima, K., see Setoguchi, T. (921) 219
Nelson, J.F., see Morgan, W.W. (921) 115

Parmentier, M., see Brézillon, S. (921) 21
Potter, L.T., see Liang, J. (921) 211
Prado, M.A.M., see Gomez, R.S. (921) 106

Quysner, A. and Blaustein, J.D.
A dopamine antagonist blocks vaginocervical stimulation-induced neuronal responses in the rat forebrain (921) 173

Reggiani, L., see Kofler, M. (921) 206
Roberts, T.F., Brauth, S.E. and Hall, W.S.
Distribution of iron in the parrot brain: conserved (pallidal) and derived (nigral) labeling patterns (921) 138

Sakou, T., see Setoguchi, T. (921) 219
Salas, M., see Loranca, A. (921) 150
Savoy, L.D., see Barry, M.A. (921) 12
Schmidt, R.E.
Neuronal preservation in the sympathetic ganglia of rats with chronic streptozotocin-induced diabetes (921) 256
Setoguchi, T., Yone, K., Matsuoka, E., Takenouchi, H., Nakashima, K., Sakou, T., Komiya, S. and Izumo, S.
Traumatic injury-induced BMP7 expression in the adult rat spinal cord (921) 219
Shimozono, S., Watanabe, S., Inoue, T. and Kirino, Y.
Identification and characterization of an output neuron from the oscillatory molluscan olfactory network (921) 98
Smith, P.M., see Anderson, J.W. (921) 78
Stadulis, R., see Kalinski, M.I. (921) 160
Stanley, B.G., see Duva, M.A. (921) 122
Straka, H., see Birinyi, A. (921) 44
Suh, H.-W., see Choi, S.-S. (921) 233
Sukhaseum, A., see Duva, M.A. (921) 122

Takenouchi, H., see Setoguchi, T. (921) 219
Tavares, I., see Gamboa-Esteves, F.O. (921) 195
Tomkins, E.M., see Duva, M.A. (921) 122
Topple, A.N., see Arnold, J.C. (921) 240

Valls-Solé, J., see Kofler, M. (921) 206
Vissavajjhala, P., see He, Y. (921) 60

Wang, D., Wu, J.-H., Dong, Y.-X. and Li, Y.-Q.
Synaptic connections between trigemino-parabrachial projection neurons and γ-aminobutyric acid- and glycine-immunoreactive terminals in the rat (921) 133
Wang, Z., Li, J.-Y., Dahlström, A. and Danscher, G.
Zinc-enriched GABAergic terminals in mouse spinal cord (921) 165
Watanabe, S., see Shimozono, S. (921) 98
Wu, J.-H., see Wang, D. (921) 133

Yone, K., see Setoguchi, T. (921) 219

Znamensky, V., see Echo, J.A. (921) 86